6. Reference Information


This chapter contains the tools list, list of abbreviations used in this manual, and a guide to the location space required when installing the printer. A definition of tests pages and Wireless Network information definition is also included.

6.1 Tools for Troubleshooting

The following tools are recommended safe and easy troubleshooting as described in this service manual.


DVM(Digital Volt Meter)

Standard: Indicates more than 3 digits.



Driver

Standard: "-" type, "+" type (M3 long, M3 short, M2 long, M2 short).



Tweezers

Standard : For general home use, small type.



Cotton Swab

Standard : For general home use, for medical service.




Cleaning Equipments

Standard : An IPA(Isopropyl Alcohol)dry wipe tissue or a gentle neutral detergent and lint-free cloth.




Vacuum Cleaneraner



• Brush



• Software (Driver) installation CD ROM



6.2 Acronyms and Abbreviations


The table below explains the abbreviations and acronyms used in this service manual. Where abbreviations or acronyms are used in the text please refer to this table.

ADC	Analog-to-Digital-Conversion	HBP	Host Based Printing
AP	Access Point	HDD	Hard Disk Drive
AC	Alternating Current	HTML	Hyper Text Transfer Protocol
ASIC	Application Specific Integrated Circuit	HV	High Voltage
ASSY	Assembly	HVPS	High Voltage Power Supply
BIOS	Basic Input Output System	I/F	Interface
BLDC Motor	Brushless DC Motor	I/O	Input and Output
CLBP	Color Laser Beam Printer	lb	Pound(s)
CMOS	Complementary Metal Oxide	IC	Integrated Circuit
	Semiconductor	ICC	International Color Consortium
CMYK	Cyan, Magenta, Yellow, Black	IDE	Intelligent Drive Electronics or
CN	Connector		ntegrated Drive Electronics
CON	Connector	IEEE	Institute of Electrical and Electronics
CPU	Central Processing Unit		Engineers. Inc
CTD Sensor	Color Toner Density Sensor	IOT	Image Output Terminal (Color printer
dB	Decibel		Copier)
dBA	A-Weighted decibel	IPA	Isopropy Alcohol
dBm	Decibel milliwatt	IPC	Inter Process CommunicationEPP
DC	Direct Current		Enhanced parallel Port
DCU	Diagnostic Control Unit	IPM	Images Per Minute
DIMM	Dual In-line Memory Module	ITB	Image Transfer Belt
DPI	Dot Per Inch	LAN	local area network
DRAM	Dynamic Random Access Memory	LBP	Laser Beam Printer
DVM	Digital Voltmeter	LCD	Liquid Crystal Display
ECP	Enhanced Capability Port	LED	Light Emitting Diode
ECU	Engine Control Unit	LSU	Laser Scanning Unit
EEPROM	Electronically Erasable	MB	Megabyte
	Programmable Read Only Memory	MHz	Megahertz
EMI	Electro Magnetic Interference	MPBF	Mean Prints Between Failure
EP	Electro photographic	MPF/MPT	Multi Purpose Feeder/Multi Purpose
EPP	Enhanced Parallel Port		Tray
F/W	Firmware	NIC	Network Interface Card
FCF/FCT	First Cassette Feeder/First Cassette	NPC	Network Printer Card
	Tray	NVRAM	Nonvolatile Random Access Memory
FISO	Front-In, Side-Out	OPC	Organic Photo Conductor
FPOT	First Print out Time	PBA	Printed Board Assembly
GDI	Windows Graphic Device Interface	PCL	Printer Command Language, Printe
GIF	Graphic Interchange Format		Control Language
GND	Ground	•	

PCI	Peripheral Component Interconnect	SMPS	Switching Mode Power Supply
	by Intel 1992/6/22, is a local bus	SPGP	Samsung Printer Graphic Processor
	standard developed by Intel and	SPL	Samsung Printer Language
	introduced in April, 1993 : A60, B60	SPL-C	Samsung Printer Language-Color
	Pins	Spool	Simultaneous Peripheral Operation
PCL5Ce	Printer Command Language 5Ce-		Online
	Color	SRS	Software Requirment Specification
PCL6	Printer Command Language 6	SURF	Surface Rapid Fusing
PDF	Portable Document Format	SW	Switch
PDL	Page Description Language	sync	Synchronous or Synchronization
Ping	Packet internet or Inter-Network	T1	ITB
	Groper	T2	Transfer Roller
PPD	Postscript Printer Discription	TRC	Toner Reproduction Curve
PPM	Page Per Minute	PnP	Universal Plug and Play
PS	Post Script	U.I.	User Interface
PS3	Post Script Level3	URL	Uniform Resource Locator
PTL	Pre-Transfer Lamp	USB	Universal Serial Bus
PTB	Paper-Transfer Belt	VCCI	Voluntary Control Council for
PWM	Pulse Width Moduration		Interference Information Technology
Q?y	Quantity		Equipment
RAM	Random Access Memory	WECA	Wireless Ethernet Compatibility
RCP	Remote Control Panel		Alliance
ROM	Read Only Memory	Wi-Fi	Wireless Fidelity
SCF/SCT	Second Cassette Feeder/Second		
	Cassette Tray		

6.3 Select a location for the printer

- Leave enough room to open the printer trays, covers, and allow for proper ventilation. (see diagram below)
- Provide the proper environment :
 - A firm, level surface
 - Away from the direct airflow of air conditioners, heaters, or ventilators
 - Free of extreme fluctuations of temperature, sunlight, or humidity
 - Clean, dry, and free of dust



6.4 A4 ISO 19798 Standard Pattern

This test page is reproduced at 70% of the normal A4 size

Stephen J. Singel Fabanda Sinpat Abarress Tendar, BSF URANGLE






30 November 2005

Johnathan Q. Maderia

Inpert Mampem Abaress 2343 Stantin Dawer Lank Benhibe, SDF

Mr. Maderia:

Nam liber tempor cum soluta nobis eleifend ption cogue nihil consequat, velillum. Dolore eu zril feugiat nulla acilisis at vero eros accumsan et iust odio dignis sim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum irure dolor in hendreritin ulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vhniam, quis nostrud exerci tation ullam corpersus cipit tis nisl



Amet, Amet, consectetuer adipiscing elit, sud diam nonummy nibh veniam, eeneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Solyom uta nobis eleifendoptn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm color sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit cesse ea commodo molestie. Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iusto octio dignissim qui blandit praesent domg id quod mzim plerat facer posim aum.

Integer sagittis lacus vel nulla. Morbi convallis hendrerit risus. Nullam interdum, enim non gravida fengiat, quam ante consequat metus, sed molestie dolor tortor eu ipsum. Phasellus semper risus sit amet diam. Cras wisi arcu, pulvinar nec, molestie fringilla, vestibulum iaculis, mi. Praesent nonummy pulvinar odio.

Duis vitae eros. Fusce suscipit. Etiam justo massa, semper feugiat, portitior sit amet, nonummy in, quam. Aenean nulla magna, elementum ut, eleifend ac, aliquam ut, risus. Morbi laoreet elementum dui. Vestibulum nibh sapien, rhoncus non, lobortis nec, ullamcorper a, enim. Praesent ultricies enim non lorem. Curabitur consectetuer, diam et nonummy convallis, quam quam tristique nulla, pul vinar blandit ipsum arcu a tellus. Phasellus dolor. Ut ullamcorper venenatis quam. Quisque egestas erat.


Singabet,


Stephen J. Singel Demperta Aminerimum Fabanda Sinpat Abarress

SJS:dwg

Sempter Fdut Aploriouis

	п	FY05		FY06		FY07		FY08		FY09
Nuc Facilisis: Tembo Facilisis Intemboint Facilisis	\$ 14 17	14,609 17,901	69	11,592 13,650	_ es	9,462 11,310	69	7,569 9,192	69	6,484 8,192
Troper Facilisis	32	32,510		25,350		20,772		16,761		14,494
Bet Repanides: Elamber	27	27,125	63	27,380	_	17,122		13,256		11,880
Sempter	4	4.394		3.611		3,195		3,154		2.614
Troper Yet Recanides	<u>~</u>	31,515		24,991		20,317	J	18,410		14,494
Repanides ent Facilisis: Facilisis zu Pontone Eber	17	17,069	_ 1	13,021	_ 1	10,021		8,018		7,834
Facilisis be Reptor	N	2,946		2,478		2,102		1,910		1,760
Renters ent Dictiument	N	2,302		2,027		1,761		1,436		1,289
Solig. Getenre ent Atmed	OI	5,365		4,925		4,554		3,642		2,401
Troper Repanides ent Facilisis	S									
Eberer zonte Ontemer:										
impress Oteoer ent Openi, Num	3	200		87.		2 0		8 8		2 2
Describe Determines	,	0 0		3 6		12.		2 %		
Popilemse fur Taxer	٠.	1,199		824		606		863		496
Net Epanteis	N	2,433		1,599		1,177		471		847
lpen epanteis Pen Epanteis Geine Divertenum	- 1	4.63		3.07		2.33		0.0		1.30
Et Hare Sil:										
Toper Grendum	\$ 24	24,427	69	19,567 \$ 16,736	69	6,736	69	\$ 13,700	69	11,973
Delpereeds	102	102,300		98,400		69,200		92,600		89,000
Repanides pen Delpereeds	\$ 308,104		\$25	\$253,974 \$211,195	\$21	1,195	97	\$177,214	9	\$162,854





Ve Emerirre Et Tum Ober

14 December 2004 MCLLXVII

Lorem

Nullam ut lorem. Sed vehicula leo sit amet elit. Maurisipsum mi, dapibus nec, pharetra in, eleifend vel, risus. Donec uma. Morbi sit amet tortor. In nulla. Ut sodales volutpat erat. Morbi dictum nibh quis est.

Praesent pellentesque ante. Sed interdum metus non arcu.Donec nec risus nec elit lao-reet sollicitudin. Donec aipsum. Vestibulum nec urna. Nullam non enim at nulla faucibus fringilla. Aenean tortor velit. fermentum quis, venenatis a, omare in, purus. Proin commodo. libero eu mattis iaculis. nulla massa blandit eros, sed pulvinar risus metus nec tortor, nulla.

Nulla mor nare

Morbi at sem.
Pellentesque risus.
Morbi nec neque. Sed
fringilla. Donec et leo.
Phasellus lacinia blandit
mi. Etiam eget leo at
enim pretium
malesuada. Vivamus in
lorem. Nullam semper
tempor lorem.
Pellentesque et magna.
Nunc porta varius leo.
Integer elementum, mi
eget tempor vestibulum.

In cursus. Quisque ac dui. Maecenas vehicula. Nam imperdiet risus eget elit. Fusce dictum. Vivamus eu eros. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Pellentesque rhoncus, est in rutrum faucibus, velit leo volutpat purus, a blandit wisi velit quis est. Donec faucibus elementum mi. In pulvinar elit sit amet nisl. Donec dolor augue, suscipit nec, nonummy eget, scelerisque in, est. Integer nisl. Aliquam et lacus eget magna scelerisque blandit. Nullam sapien neque, vulputate non, porttitor nec, faucibus et, est. Ut fringilla turpis ut magna porttitor tempor. Praesent erat. Donec sed erat consequat liquia pulvinar dapibus. Etiam sapien. Donec a risus ut augue tincidunt euismod. Fusce lacreet, risus nec euismod suscipit, orci ligula tempor massa, et ultricies nulla quam ut enim. Quisque in nunc.

Carbitur

Fusce feugiat metus sed augue. Nunc ligula. Aenean lectus elit, pellentesque sit amet, gravida eget, fringilla non, massa. Vestibulum metus neque, feugiat a, imperdiet id, elementum ac, nunc. Suspendisse tempor. Aliquam vitae arcu. Nunc mauris nunc, cursus at, sollicitudin eget, pellentesque et, massa. Nulla vulputate, wisi at consequat gravida, wisi tellus lacinia ante, aliquam consequat lectus eros at nibh. Donec portitor, libero at iaculis sodales, dui tellus rutrum elit, eu pulvinar neque lorem condimentum dui. Nam vel quam quis lacus egestas lobortis. Pellentesque purus magna, rutrum sed, tincidunt blandit, accumsan ac, orci, In fringilla, Pellentesque rhoncus euismod risus. Nunc nec nisl. Etiam rhoncus, felis et pellentesque consequat, diam ante congue leo, ac vulputate felis purus id ipsum. Proin vestibulum diam quis mauris. Nullam omare metus in



odio. Duis nisl.
Curabitur ullamcorper. Cras elit velit,
dictum eget, pharetra
ac, cursus id, arcu.
Mauris mauris justo,
vol utpat non, varius.
Aliquam vitae arcu.
Nunc mauris nunc,
cursus at, solli citudin
dictum eget.

Pellentesque rhoncus, est in rutrum faucibus, velit leo volutpat purus, a blandit wisi velit quis est. Donec faucibus eleme ntum mi. In pulvinar elit sit amet nisl. Donec dolor augue, suscipit nec, non um my eget, scelerisque in, est. Integer nisl.

Aliquam et lacus eget magna scelerisque blandit, Nullam sapien neque, vulputate non, portitor nec, faucibus et, est. Ut fringilla turpis ut magna porttitor tempor. Praesent erat. Donec sed erat consequat ligula pulvinar dapibus. Etiam sapien. Donec a risus ut augue tincidunt euismod. Fusce laoreet, risus nec euismod suscipit, orci ligula tempor massa, et ultricies nulla quam ut.

Ve Emerirre Et Tum Ober

Stophan Gore	Ediopa
Aloisia Solyom	Co-Ediops
Sangrui Meher	Acondant
Dongle Truta	Poperter
Tinkal Tempals	Pemperator
Segleh Traumer	Loagolo
Bankan	Woot

